

# VIEW



# BUILT BY TECHNICIANS- FOR TECHNICIANS.

- ✓ *Industry-leading Solutions*
- ✓ *UV Leak Detection*
- ✓ *Cabin-air quality*
- ✓ *A/C Oils and Sealants*
- ✓ *Cooling System Refilling and Testing*





**SMALL ADDITIVE PACKAGE.**

**BIG  
DIFFERENCE.  
SAME DOSE.**

**DO MORE WITH  
YOUR DYE**





**CERTIFIED TO SAE  
STANDARDS**

**1234YF  
COMPATIBLE  
& HYBRID**



Check out our video  
to learn more here!

**DETECT • ENHANCE • EXTEND**

| Super-concentrated UV dye  | Friction modifier   | Anti-wear additive   | Antioxidant  |
|--|---|--|--|
| <p>Detects leaks quickly, saving time and money. A/C ExtenDye is proven to fluoresce brighter than the competition. And there's no need to use more. Use the same quantity of A/C ExtenDye per application as our Universal A/C dye.</p> | <p>Increases lubricity (less friction) of the compressor oil, improving efficiency (friction coefficient) by over 50% and improving fuel economy.</p> | <p>Creates a film that prevents contact between metal parts; reducing friction and heat, thereby extending component life. Effectively quiets noisy compressors.</p> | <p>Stops the oxidation process, reduces acidity and prolongs oil life.</p>   |
| <p><b>Fluorescence</b><br/>A/C ExtenDye fluoresces brighter than the competition</p>   | <p><b>Friction Coefficient</b></p>                                 | <p><b>Wear Resistance</b><br/>(Falex Test)</p>                                   |  <p>When combined, we refer to this exciting new additive package as QuietCool™ Technology.</p> |

Visit us online at [cpsproducts.com](http://cpsproducts.com)

# LEAK DETECTION DYES

## A/C EXTENDYE™ CERTIFIED TO SAE STANDARDS for 1234YF Systems & 134A



**499108A**  
**A/C EXTENDYE™ CARTRIDGE**  
Works exclusively with the  
Spotgun™ injection system  
8 oz Cartridge



**A/C EXTENDYE™ CARTRIDGE**  
Works with the Spotgun Jr.™ and  
Eco-Twist injection system  
**399020A** 1 oz Cartridge  
**399020AEU** 1 oz Winged Cartridge  
**399006A** 0.25 oz Cartridge  
**399006AEU** 0.25 oz Winged Cartridge



**A/C EXTENDYE™  
BOTTLE**  
**B499024A** 1 oz Bottle  
**B499012A** 0.25 oz Bottle



**499008A**  
**A/C EXTENDYE™  
BOTTLE**  
Exclusive new bottle design  
with accurate dosing  
chamber  
8 oz Bottle



### CPS® VIVID UNIVERSAL A/C DYE

Provides excellent fluorescence  
and exceptional value!

- Highly fluorescent formula
- Co-solvent free chemistry
- Certified to meet SAE J2297  
for use in R-134a and R-1234yf  
systems
- Compatible with hybrid vehicles

**UVVD8** 8.45 oz Bottle  
**477108** 8 oz Cartridge



### MULTI-PURPOSE DYE

- Pinpoint leaks in engine  
oil, transmission, hydraulic,  
power steering, gasoline,  
and diesel fuel systems
- Services eight vehicles

**483208** 8 oz Bottle  
**B483206** (6) 1 oz Bottle



### RADIATOR COOLANT DYE

For use with regular (green) coolant

- Pinpoint leaks in cooling  
systems, including radiator,  
hoses, fittings, water pumps and  
head gaskets

**483908** 8 oz Bottle  
**B483906** (6) 1 oz Bottle

See more dyes on following page

# LEAK DETECTION DYES

## NOT ALL DYES ARE CREATED EQUAL...

All UView dyes are super concentrated and safe for A/C systems. All UView air conditioning dyes meet SAE J2297 Standard for R-134a PAG systems and the new R-1234yf systems with PAG oil and are Hybrid safe.

| Part#             | Description                          | Unit Size   | Std Pack | UPC          | Unit (inches & lbs) |       |        |        | ITF-14 Master Carton | Case (inches & lbs) |       |        |        |  |
|-------------------|--------------------------------------|-------------|----------|--------------|---------------------|-------|--------|--------|----------------------|---------------------|-------|--------|--------|--|
|                   |                                      |             |          |              | Length              | Width | Height | Weight |                      | Length              | Width | Height | Weight |  |
| A/C ExtenDye®     |                                      |             |          |              |                     |       |        |        |                      |                     |       |        |        |  |
| 499008A           | A/C ExtenDye Bottle                  | 8 oz        | 6        | 628604004486 | 3.75                | 1.75  | 6.00   | 0.62   | 16286044990106       | 10.50               | 4.20  | 6.50   | 4.03   |  |
| B499024A          | A/C ExtenDye Bottle                  | 1 oz        | 6        | 628604005162 | 1.25                | 1.25  | 3.00   | 0.15   | 16286044990243       | 4.50                | 1.75  | 1.75   | 0.45   |  |
| B499012A          | A/C ExtenDye Bottle                  | 0.25 oz     | 12       | 628604005148 | 1.00                | 1.00  | 1.75   | 0.10   | 16286044990120       | 4.50                | 2.75  | 3.00   | 0.12   |  |
| 499108A           | A/C ExtenDye Cartridge               | 8 oz        | 6        | 628604004424 | 2.00                | 2.00  | 9.75   | 0.75   | 16286044991103       | 6.00                | 4.25  | 10.00  | 4.65   |  |
| 399020A           | A/C ExtenDye Cartridges              | 4 x 1 oz    | 1        | 628604004448 | 4.75                | 1.75  | 4.75   | 0.45   | NA                   |                     |       |        |        |  |
| 399006A           | A/C ExtenDye Cartridge               | 0.25 oz     | 6        | 628604005100 | 1.00                | 1.00  | 2.00   | 0.10   | 16286043990077       | 6.50                | 2.20  | 1.20   | 0.25   |  |
| 399020AEU         | A/C ExtenDye Cartridges Winged       | 4 x 1 oz    | 1        | 628604004462 | 4.75                | 1.75  | 4.75   | 0.45   | NA                   |                     |       |        |        |  |
| 399006AEU         | A/C ExtenDye Cartridge Winged        | 0.25 oz     | 6        | 628614005124 | 1.00                | 1.75  | 2.00   | 0.10   | 16286043990084       | 65.00               | 2.20  | 2.20   | 0.25   |  |
| Universal A/C Dye |                                      |             |          |              |                     |       |        |        |                      |                     |       |        |        |  |
| UVIVD8            | CPS Vivid A/C Dye                    | 8.45 oz     | 6        | 628604006121 | 3.75                | 1.75  | 6.00   | 0.60   | 16286044990113       | 10.50               | 4.20  | 6.50   | 4.10   |  |
| 477108            | CPS Vivid A/C Dye cartridge          | 8 oz        | 6        | 628604009085 | 2.00                | 2.00  | 9.75   | 0.75   | 16286044771088       | 6.00                | 4.25  | 10.00  | 4.65   |  |
| 499387            | R-134a A/C Dye Capsules              | 6 x 0.06 oz | 1        | 628604001829 | 4.75                | 3.25  | 1.75   | 0.30   | N/A                  |                     |       |        |        |  |
| 499005            | Universal A/C Dye Cartridge          | 4 oz        | 6        | 628604001492 | 2.00                | 2.00  | 9.50   | 0.50   | 16286044990052       | 6.00                | 4.25  | 10.00  | 3.50   |  |
| Multi-Purpose Dye |                                      |             |          |              |                     |       |        |        |                      |                     |       |        |        |  |
| B483206           | Multi-Purpose Dye Bottles            | 6x1 oz      | 1        | 628604001638 | 4.50                | 2.75  | 3.00   | 0.60   | N/A                  |                     |       |        |        |  |
| 483208            | Multi-Purpose Dye Bottle             | 8 oz        | 1        | 628604000488 | 3.50                | 1.75  | 6.00   | 0.55   | 16286044832086       | 10.50               | 4.20  | 6.50   | 4.10   |  |
| 483210            | Multi-Purpose Dye for industrial use | 1 gal       | 1        | 628604003106 | 5.50                | 5.50  | 12.00  | 7.30   | N/A                  |                     |       |        |        |  |
| Coolant Dye       |                                      |             |          |              |                     |       |        |        |                      |                     |       |        |        |  |
| B483906           | Radiator Coolant Dye Bottles         | 6x1 oz      | 6        | 628604001621 | 4.50                | 2.75  | 3.00   | 0.70   | N/A                  |                     |       |        |        |  |
| 483908            | Radiator Coolant Dye Bottle          | 8 oz        | 1        | 628604000518 | 3.50                | 1.75  | 6.00   | 0.55   | 16286044839085       | 10.50               | 4.20  | 6.50   | 4.10   |  |



# LEAK DETECTION KITS

1

## YOUR CHOICE OF INJECTION SYSTEM.

- The original Spotgun™ is versatile and economical
- The Spotgun Jr. is perfect for controlling inventory through the use of single application cartridges

2

## YOUR CHOICE OF CHEMISTRY DEPENDING ON YOUR NEEDS.

- A/C ExtenDye™ is formulated with super concentrated UV Dye, plus friction modifiers, anti wear additives and antioxidants
- Also available with Universal A/C Dye

3

## YOUR CHOICE OF UV DETECTION LIGHT.

Not all UV lights are created equal!

- 12V Mega-Lite™ and Micro-Lite™ provide strong, reliable power any time
- UV Phazer™ BLACK™ offers extreme performance and outstanding versatility
- LED-Lite™ offers an economical UV light





## LEAK DETECTION KITS

Everything you need to find leaks—fast!

- All kits come with the industry's toughest and most durable UV enhancing glasses
- Storage case
- R-12 and R-134a adapters

Replacement Parts and Accessories on pages 38-39

| Part No. | Injection System  | Application  | UV Light                       | Qty/Size        | UPC          | Unit (inches & lbs) |       |        |        |
|----------|---|--------------|--------------------------------|-----------------|--------------|---------------------|-------|--------|--------|
|          |   |              |                                |                 |              | Length              | Width | Height | Weight |
| 414500A  |  | A/C ExtenDye | Micro-Lite                     | 8 oz / 240 mL   | 628604004585 | 17.00               | 13    | 5      | 6.55   |
| 414565A  |   |              | UV Phazer BLACK (Rechargeable) | 8 oz / 240 mL   | 628604004608 | 17.00               | 13    | 5      | 6.10   |
| 332005A  |  | A/C ExtenDye | UV Phazer Black (AAA Battery)  | 4 x 1 oz / 30mL | 628604004561 | 14.00               | 11    | 4      | 3.6    |
| 332010A  |   |              | LED Lite                       | 1 oz / 30mL     | 628604005247 | 14.00               | 11    | 4      | 3.6    |
| 332220A  |   |              | UV Phazer Black (AAA Battery)  | 2 x 1 oz / 30mL | 628604005261 | 14.00               | 11    | 4      | 3.6    |

# Leak+Guard™

 SAFELY AND PERMANENTLY  
SEALS LEAKS

 CONTAINS SUPERIOR A/C  
DYE

 THE FIRST SEALANT  
CERTIFIED TO  
MEET SAE J2670

 COMPATIBLE WITH R-134A  
AND R-1234YF SYSTEMS



**YOUR  
BEST  
LINE OF  
DEFENSE**




Visit us online at [cpsproducts.com](http://cpsproducts.com)

# A/C SEALANT

## THE SEALANT THAT WORKS EXCLUSIVELY WITH THE BEST INJECTION METHOD—THE SPOTGUN!

### LEAKGUARD™ PROFESSIONAL A/C STOP LEAK

- LeakGuard is the first A/C stop leak to be certified to meet the SAE J2670 Standard
- LeakGuard is specifically formulated for slow leaks (up to 0.5mm/0.02") that can occur over a 6–12 month period
- LeakGuard is endorsed by one of the largest U.S. service providers and used in every A/C service
- Used as a preventive maintenance, LeakGuard will stay in the system as a high quality lubricant until such time that a leak occurs
- Safely seals leaks in both rubber and metal components
- LeakGuard is an oil based sealant that does not react to moisture and will not harden, crystallize or clog the A/C system
- Safe for use in all systems, and all recovery equipment
- Contains super concentrated UV dye to diagnose leaks and stop them



LeakGuard™ (illustrated as yellow) seeks out even the smallest leaks and forms a permanent mechanical seal.



#### 480301 LEAKGUARD™ 1 OZ CARTRIDGE

Works exclusively with the Spotgun Jr.™ injection system



#### 480308 LEAKGUARD™ 8 OZ CARTRIDGE

Works exclusively with the Spotgun™ injection system

| Part#        | Description                           | Unit Size              | Std Pack | UPC          | Unit (inches & lbs) |       |        |        | ITF-14 Master Carton | Case (inches & lbs) |       |        |        |
|--------------|---------------------------------------|------------------------|----------|--------------|---------------------|-------|--------|--------|----------------------|---------------------|-------|--------|--------|
|              |                                       |                        |          |              | Length              | Width | Height | Weight |                      | Length              | Width | Height | Weight |
| LeakGuard™   |                                       |                        |          |              |                     |       |        |        |                      |                     |       |        |        |
| 480308       | LeakGuard Cartridge                   | 8 oz                   | 6        | 628604004424 | 2.00                | 2.00  | 9.75   | 0.75   | 16286044803086       | 6.00                | 4.25  | 10.00  | 4.65   |
| 480300       | LeakGuard Injection Kit - Spotgun Jr. | 2 x 1 oz<br>1 x .25 oz | 1        | 628604004523 | 13.75               | 8.25  | 2.13   | 1.50   | N/A                  |                     |       |        |        |
| 480301       | LeakGuard Cartridge                   | 1 oz                   | 4        | 628604001577 | 1.00                | 1.00  | 4.00   | 0.15   | 16286044803017       | 4.75                | 1.50  | 4.75   | 0.40   |
| 480301EU     | LeakGuard Cartridge Winged            | 1 oz                   | 4        | 628604001003 | 1.00                | 1.00  | 4.00   | 0.15   | N/A                  | 4.75                | 1.50  | 4.75   | 0.40   |
| A/C Sealants |                                       |                        |          |              |                     |       |        |        |                      |                     |       |        |        |
| 480200       | A/C Treatment Cartridge with UV Dye   | 1 oz                   | 12       | 628604004066 | 1.00                | 1.00  | 4.00   | 0.10   | 16286044802003       | 7.75                | 4.50  | 2.20   | 1.30   |



# A/C OIL



## UVIEW PAG A/C OIL

- Available with or without A/C ExtenDye™ for fast leak detection
- A/C ExtenDye™ includes enhanced additive package to reduce wear, extend component life and improve efficiency of the A/C system
- Available in standard pack of 12
- 46 and 100 viscosities available

| Part#           | Description                             | Unit Size | Std Pack | UPC          | Unit (inches & lbs) |       |        |        | ITF-14 Master Carton | Case (inches & lbs) |       |        |        |
|-----------------|---|-----------|----------|--------------|---------------------|-------|--------|--------|----------------------|---------------------|-------|--------|--------|
|                 |   |           |          |              | Length              | Width | Height | Weight |                      | Length              | Width | Height | Weight |
| A/C Oil Bottles |   |           |          |              |                     |       |        |        |                      |                     |       |        |        |
| 488046PB        | PAG 46 Oil Bottle                       | 8 oz      | 12       | 628604004844 | 1.91                | 1.91  | 6.60   | 0.63   | 16286044880476       | 8.25                | 6.50  | 7.75   | 8.00   |
| 488046PBD       | PAG 46 Oil Bottle with A/C ExtenDye     | 8 oz      | 12       | 628604004868 | 1.91                | 1.91  | 6.60   | 0.63   | 16286044880483       | 8.25                | 6.50  | 7.75   | 8.00   |
| 488100PBD       | PAG 100 Oil Bottle with A/C ExtenDye    | 8 oz      | 12       | 628604004905 | 1.91                | 1.91  | 6.60   | 0.63   | 16286044881022       | 8.25                | 6.50  | 7.75   | 8.00   |
| 488016E         | Universal Ester Oil with Dye and eBOOST | 16 oz     | 12       | 628604003700 | 2.25                | 2.25  | 8.25   | 1.25   | 16286044880162       | 7.75                | 10.00 | 9.00   | 15.30  |
| 488016P         | Universal PAG Oil with Dye and eBOOST   | 16 oz     | 12       | 628604003724 | 2.25                | 2.25  | 8.25   | 1.25   | 16286044880168       | 7.75                | 10.00 | 9.00   | 15.30  |

# A/C INJECTION KITS

A/C OIL | A/C EXTENDYE | LEAKGUARD

- ✓ **No Contamination**
- ✓ **Precise Injection**
- ✓ **No Waste**



SAE standards for A/C equipment in North America prohibit the use of onboard oil injection, (meaning oil must be added separately). This is the easiest and most efficient way to add A/C oil separately.

1

## YOUR CHOICE OF INJECTION SYSTEM



- The original Spotgun™ is versatile and economical
- The Spotgun Jr. is perfect for controlling inventory through the use of single application cartridges
- The ECO-Twist™ system is the perfect entry-level injection tool

2

## YOUR CHOICE OF CHEMISTRY

- A/C ExtenDye™ is formulated with super concentrated UV dye, plus friction modifiers, anti wear additives and antioxidants
- Also available with Universal A/C Dye
  - A/C Oil is a perfect companion to SAE A/C recovery units
  - LeakGuard™ is formulated to safely and permanently stop small leaks



| Part No.  | Injection System   | Application                 | Refrigerant                   | Qty/Size             | UPC          | Unit (Inches & lbs) |       |        |        |
|---|--|-----------------------------|-------------------------------|----------------------|--------------|---------------------|-------|--------|--------|
|   |  |                             |                               |                      |              | Length              | Width | Height | Weight |
| 471500A   | <br>Spotgun     | A/C ExtenDye                | R-134a, R-12                  | 8 oz / 240 mL        | 628604004523 | 13.75               | 8.25  | 2.13   | 2.86   |
| 481500  |  | PAG 46 A/C Oil              | R-134a, R-12                  | 8 oz / 240 mL        | 628604005940 | 13.75               | 8.25  | 2.13   | 2.86   |
| 481500YF*<br>Need #471535 for R134A application |  | PAG 46 HFO A/C Oil          | <b>R-1234yf</b>               | 8 oz / 240 mL        | 628604005964 | 13.75               | 8.25  | 2.13   | 2.86   |
| 471500YF*<br>Need #471535 for R134A application |  | A/C ExtenDye                | <b>R-1234yf</b>               | 8 oz / 240 mL        | 628604026761 | 13.75               | 8.25  | 2.13   | 3.1    |
| 331500A   | <br>Spotgun Jr. | A/C ExtenDye                | R-134a, R-12                  | 4 x 1 oz / 30mL      | 628604005223 | 13.75               | 8.25  | 2.13   | 1.70   |
| 381400*<br>Need #471546 for R134A application   |  | PAG 46 A/C Oil              | <b>R-1234yf</b>               | 8 x 1 oz             | 628604008705 | 13.75               | 8.25  | 2.13   | 2.5    |
| 381450  |  | PAG 46 & PAG 46 HFO A/C Oil | R-134a, R-12, <b>R-1234yf</b> | 4 x 1 oz<br>4 x 1 oz | 628604008729 | 13.75               | 8.25  | 2.13   | 3      |
| 330500YF*<br>Need #471546 for R134A application |  | A/C ExtenDye                | <b>R-1234yf</b>               | 6 x 0.25 oz / 30mL   | 628604026785 | 13.75               | 8.25  | 2.13   | 2.2    |
| 480300  |  | LeakGuard                   | R-134a, R-12                  | 2 x 1 oz / 30mL      | 628604004523 | 13.75               | 8.25  | 2.13   | 1.70   |

\*Also compatible with R134a systems.



# Leak+Guard<sup>TM</sup> OneShot

With **AVC EXTENDYE<sup>TM</sup>**

## THE ONE SUPPLEMENT YOU NEED.

- ☒ **QUICKLY AND EFFECTIVELY  
STOPS LEAKS**
- ☒ **DETECTS LEAKS WITH  
PREMIUM UV DYE**
- ☒ **ENHANCES A/C SYSTEM  
PERFORMANCE AND  
PROLONGS LIFE**
- ☒ **WILL NOT HARM A/C  
SYSTEM OR RECOVERY  
EQUIPMENT**

**1234YF  
COMPATIBLE &  
HYBRID**



## INCLUDES:

| LeakGuard™ Technology   |                             | A/C ExtenDye™                                   |          | Friction Modifier  |                     | Anti-wear Additive   |        | Antioxidant   |                      |                     |       |        |        |
|---|-----------------------------|---|----------|--|---------------------|--|--------|---|----------------------|---------------------|-------|--------|--------|
| Effectively finds and permanently stops small leaks as they form. Does not harden or crystallize. |                             | Fluoresces leaks brighter than the competition. |          | Increases lubricity (less friction) of the compressor oil, improving efficiency (friction coefficient) by over 50% and improving fuel economy. |                     | Creates a film that reduces contact between metal parts; reducing friction and heat, thereby extending component life. Effectively quiets noisy compressors. |        | Stops the oxidation process, reduces acidity and prolongs oil life. |                      |                     |       |        |        |
| Part#   | Description                 | Unit Size                                       | Std Pack | UPC  | Unit (inches & lbs) |  |        |   | ITF-14 Master Carton | Case (inches & lbs) |       |        |        |
|   |                             |   |          |  | Length              | Width  | Height | Weight  |                      | Length              | Width | Height | Weight |
| 480501  | LeakGuard OneShot Cartridge | 1 oz  | 4        | 628604015482   | 1.00                | 1.00   | 4.00   | 0.15  | 16286044805011       | 1.75                | 4.75  | 4.75   | 0.45   |

Visit us online at [cpsproducts.com](http://cpsproducts.com)



## EMERGING TECHNOLOGIES

# UView is prepared for the future of mobile air conditioning.

With all the changes, choosing the right AC oil has become confusing. UView offers a broad selection of A/C Oil.

For those who choose to use the OEM specified oil, we have it. And for those who desire simplicity and convenience, we have that too—a truly universal A/C oil. UView **488046YF** (8oz/240ml Cartridge) and **399046YF** (1oz/30ml Cartridge) oils are formulated to work as service oil for all R1234YF, R134a and Hybrid applications. **That's right—hybrid safe and OEM approved. One oil is all you need.**

As a reminder, installing oil using a sealed cartridge injection system assures the cleanest and driest oil reaches the AC system in exactly the correct dosage.



### SPOTGUN™

- The most popular and professional injection method. Pull the trigger to inject a precise amount of dye and you're done! No mess, no waste.
- The most economical system per service
- Accurate dye delivery controls costs
- Our most popular oil injection kits: **480500** for R134a and **480500YF** for universal (see page 33)



### SPOTGUN JR.™

"Single-Shot" System


- Professional injection system for those that need to manage their inventory
- Smaller dosage, as low as one cartridge per vehicle
- Our most popular oil injection kits: **381450** for R134a and **399046YF** for universal (see page 33)

| Part#   | Description                        | Unit Size                    | Std Pack | UPC          | Unit (inches & lbs) |       |        |        | ITF-14 Master Carton | Case (inches & lbs) |       |        |        |
|---|------------------------------------|------------------------------|----------|--------------|---------------------|-------|--------|--------|----------------------|---------------------|-------|--------|--------|
|   |                                    |                              |          |              | Length              | Width | Height | Weight |                      | Length              | Width | Height | Weight |
| <div>Spotgun A/C Oil Cartridges</div> <div>OEM APPROVED</div> |                                    |                              |          |              |                     |       |        |        |                      |                     |       |        |        |
| 488046YF*   | PAG 46 1234yf                      | 8 oz                         | 6        | 628604004967 | 1.75                | 1.75  | 9.75   | 0.70   | 16286044880490       | 6.00                | 4.25  | 10.00  | 4.40   |
| 488046P   | PAG 46                             | 8 oz                         | 6        | 628604000877 | 1.75                | 1.75  | 9.75   | 0.70   | 16286044880469       | 6.00                | 4.25  | 10.00  | 4.40   |
| 488100P   | PAG 100                            | 8 oz                         | 6        | 628604000884 | 1.75                | 1.75  | 9.75   | 0.70   | 16286044881008       | 6.00                | 4.25  | 10.00  | 4.40   |
| 488108E   | ESTER 100                          | 8 oz                         | 6        | 628604000587 | 1.75                | 1.75  | 9.75   | 0.70   | 16286044881084       | 6.00                | 4.25  | 10.00  | 4.50   |
| 488125P   | PAG 125<br>Meets GM spec. #9985752 | 8 oz                         | 6        | 628604000891 | 1.75                | 1.75  | 9.75   | 0.70   | 16286044881251       | 6.00                | 4.25  | 10.00  | 4.50   |
| 488150P   | PAG 150 Oil Cartridge              | 8 oz                         | 6        | 628604000907 | 1.75                | 1.75  | 9.75   | 0.70   | 16286044881503       | 6.00                | 4.25  | 10.00  | 4.50   |
| 488104H   | Hybrid Ester                       | <div>OEM APPROVED</div> 4 oz | 6        | 628604003427 | 4.75                | 2.00  | 11.00  | 0.45   | 16286044881046       | 12.00               | 4.25  | 12.50  | 3.35   |
| NEW! Spotgun Jr. A/C Oil Cartridges                           |                                    |                              |          |              |                     |       |        |        |                      |                     |       |        |        |
| 399046  | Universal PAG 46 Oil               | 1 oz                         | 12       | 628604001300 | 1.00                | 1.00  | 2.00   | 0.10   | 10628604399046       | 7.75                | 4.50  | 2.00   | 1.2    |
| 399046YF*   | PAG 46 1234yf                      | <div>OEM APPROVED</div> 1 oz | 4        | 628604009023 | 1.00                | 1.00  | 2.00   | 0.10   | 16286043990473       | 6.50                | 2.20  | 1.20   | 0.4    |

\*Also compatible with R134a systems.


# NOT ALL UV LIGHTS ARE CREATED EQUAL

*A/C systems are getting smaller, and leaks are harder to find. UView helps you find more leaks faster, saving you money!*



What the lumens index does for visible lighting, the UV PowerRating™ Index does for the UV spectrum by quantifying light output that most effectively fluoresces UV dyes.

- ✓ **High Output True UV LED™ UV light fluoresces dyes brighter and provides more contrast than blue LEDs, making leaks easier to find and reduces inspection time.**
- ✓ **Constant power output ensures the light produces peak output, regardless of battery charge.**
- ✓ **Adjustable Lens Focus allows for focusing light intensity**



**ACTUAL PHOTOS (images have NOT been enhanced.)**

| UV DETECTION LIGHTS |                 |                          |                    |              |                     |       |        |        |
|---------------------|-----------------|--------------------------|--------------------|--------------|---------------------|-------|--------|--------|
| Part No.            | Description     | Battery                  | Run Time (minutes) | UPC          | Unit (inches & lbs) |       |        |        |
|                     |                 |                          |                    |              | Length              | Width | Height | Weight |
| 413025              | UV Phazer NEO   | Rechargeable Lithium-ion | 90                 | 628604003908 | 10.75               | 4.25  | 3.25   | 0.75   |
| 413065              | UV Phazer BLACK | Rechargeable Lithium-ion | 120                | 628604004004 | 10.75               | 4.50  | 3.25   | 0.75   |
| 413075              | UV Phazer BLACK | 3 x AAA alkaline         | 120                | 628604004028 | 10.75               | 4.50  | 3.25   | 0.75   |



Powered by  
LI-ION  
Technology





**413025**  
**UV PHAZER™ NEO™**  
**UV LEAK DETECTION LIGHT**

NEO™ finds leaks that others miss.

- High Output UV LED
- True UV: Fluoresces dyes brighter than blue LED lights
- Maintains steady power output throughout charge
- Adjustable lens focus allows focusing light intensity
- Rechargeable Lithium Ion battery: Years of trouble free battery life
- Compact design, perfect for use in tight areas
- Durable aluminum construction

Replacement Parts and Accessories on pages 38-39



Powered by  
LI-ION  
Technology



**413065**  
**UV PHAZER™ BLACK**  
**UV LEAK DETECTION LIGHT**

(Rechargeable Li-Ion) pictured above

*Extreme Performance. Outstanding Value.*

- Powerful, true UV LED illuminates up to 11X brighter
- 400nm wavelength fluoresces dyes brighter
- Provides more contrast than blue light, making leaks easier to identify
- Adjustable lens allows quick scans for larger leaks, or a concentration of light for hard-to-find, smaller leaks
- Compact housing allows for access into tight spaces
- Rugged aluminum construction stands up to years of heavy use

Replacement Parts and Accessories on pages 38-39



The **rechargeable version 413065** features a Lithium Ion battery, good for two hours of output, charge after charge. An all new charging port eliminates the need to remove the battery for charging. A smart charger protects the battery from overcharging and extends battery life, for years of trouble free use. The **AAA version 413075** is cost effective yet powerful, with two hours of output.



**413075**  
**UV PHAZER™ BLACK**  
**UV LEAK DETECTION LIGHT**

(AAA Batteries) pictured at right

*Extreme Performance. Outstanding Value.*

- Powerful, true UV LED illuminates up to 11X brighter
- 400nm wavelength fluoresces dyes brighter
- Provides more contrast than blue light, making leaks easier to identify
- Adjustable lens allows quick scans for larger leaks, or a concentration of light for hard-to-find, smaller leaks
- Compact housing allows for access into tight spaces
- Rugged aluminum construction stands up to years of heavy use

Replacement Parts and Accessories on pages 38-39



**413001**  
**MICRO-LITE™ 50-WATT**  
**INSPECTION LIGHT**

Compact and Powerful.

- The most popular 50-watt light. 70-degree angled head allows access into tight areas making leak detection easier
- Includes UV enhancing glasses

**413000** (w/storage case)

Replacement Parts and Accessories on pages 38-39



# NOW KILL BACTERIA, VIRUSES, INCLUDING **SARS-COV2** OR **COVID-19**

Improve In-Car Air Quality for  
the Well-Being of Drivers & Their  
Passengers

**MiST™ Provides the Clean Air You  
Need!**

- MiST™ nano-droplets get directly to the source of the problem
- Safe, simple and effective profit generator that targets the health of the driver and occupants, not the vehicle
- Start offering every one of your customers this inexpensive treatment...for their health!



**Removes  
Mold**



**Removes  
Pollen**



**Removes  
Mildew**

**MiST™ VENT SAMPLES  
BEFORE & AFTER**



Visit us online at [cpsproducts.com](http://cpsproducts.com)

# AWARD-WINNING COMPLETE IN-CAR SERVICE

MiST™ penetrates the entire ventilation system and passenger compartment surfaces to restore interior air quality. MiST is a safe, simple and effective service that targets the health of the driver. MiST is the perfect preventive maintenance (PM) service because it can be run on any vehicle, leased or owned that comes into your shop, regardless of year, make, model or mileage.



## 590160 MiST™ ULTRASONIC CLEANING UNIT

- Portable 12V DC ultrasonic machine
- Nano-droplet delivery system of a specially formulated cleaning solution
- Fast service time
- Unattended operation
- Automatic shut-off upon completion

**590160P** MiST Started Pack, Includes:

- MiST Ultrasonic Cleaning Unit
- (2) Cases of 12 MiST Ultrasonic Cleaning Solution

Replacement Parts and Accessories on pages 38-39



## 590250SK MiST X-TREME SANITIZING KIT

- 1 Qt (590275) MiST X-Treme w/sprayer
- 12 Bottles (590250) MiST Cleaning Solution
- MiST Ultrasonic Machine sold separately
- 12 MiST X-Treme Service Vent Tags
- 24 MiST X-Treme Point of Sales Brochures



## 590260SK MiST X-TREME SANITIZING AND SCENTED KIT

- 1 Qt (590275) MiST X-Treme w/sprayer
- 12 Bottles (590260) MiST Remarketing Solution
- MiST Ultrasonic Machine sold separately
- 12 MiST X-Treme Service Vent Tags
- 24 MiST X-Treme Point of Sales Brochures



## 590275 MiST X-TREME SANITIZING SPRAY

- EPA registered and effective against bacteria, including MRSA and viruses such as Covid-19
- Allow sprayed on solution to remain in place during the entire MiST service then wipe away any excess
- One bottle will treat up to 12 passenger cars/light trucks
- Sold in cases of 12 – 32 oz. bottles w/sprayer



## 590250 MiST™ CLEANING SOLUTION

- MiST service for vehicle interiors and ventilation system
- Designed for exclusive use with MiST Ultrasonic unit (Single application)



## 590260 MiST™ AUTO REMARKETING

- Specially designed for used cars to treat mold, mildew and bacteria in the HVAC system and cabin of a vehicle
- Designed for exclusive use with MiST Ultrasonic unit (Single application)



## 400-0501 MiST™ ULTRASONIC SOLUTION

- New fresh scent! Cleans and restores the vehicle's HVAC system and cabin
- Designed to work with the CarClean™ System



## MiST™ VENT AIR FRESHENERS

- Clip-on vent. Fragrance leaves vehicle smelling clean and fresh

**590235** Summer Breeze

**590236** Spicy Apple

**590237** Citrus

**590238** Vanilla

**590239** Clean Car

| Part#  | Description   | Std Pack | Unit Size | UPC          | Unit (inches & lbs) |       |        |        | ITF-14 Master Carton | Case (inches & lbs) |       |        |        |
|--------|---|----------|-----------|--------------|---------------------|-------|--------|--------|----------------------|---------------------|-------|--------|--------|
|        |   |          |           |              | Length              | Width | Height | Weight |                      | Length              | Width | Height | Weight |
| 590160 | MiST II Ultrasonic Cleaning Unit                        | 1        | NA        | 628604003182 | 16.00               | 8.25  | 10.50  | 5.80   |                      | NA                  |       |        |        |
| 590250 | MiST Cleaning Solution                                  | 12       | 3.38 oz   | 628604002925 | 2.00                | 2.00  | 4.75   | 0.30   | 16286045902504       | 13.00               | 4.75  | 5.00   | 4.15   |
| 590260 | MiST Auto Remarketing Formula                           | 12       | 3.38 oz   | 628604006107 | 2.00                | 2.00  | 4.75   | 0.30   | 16286045902603       | 13.00               | 4.75  | 5.00   | 4.15   |
| 590235 | Vent Clip: Summer Breeze Air Freshener                  | 12       | NA        | 628604002840 |                     |       |        | NA     |                      | 6.00                | 4.00  | 0.50   | 0.05   |
| 590236 | Vent Clip: Spicy Apple Air Freshener                    | 12       | NA        | 628604002864 |                     |       |        | NA     |                      | 6.00                | 4.00  | 0.50   | 0.05   |
| 590237 | Vent Clip: Citrus Air Freshener                         | 12       | NA        | 628604002888 |                     |       |        | NA     |                      | 6.00                | 4.00  | 0.50   | 0.05   |
| 590238 | Vent Clip: Vanilla Air Freshener                        | 12       | NA        | 628604002901 |                     |       |        | NA     |                      | 6.00                | 4.00  | 0.50   | 0.05   |
| 590239 | Vent Clip: Clean Car Air Freshener                      | 12       | NA        | 628604003342 |                     |       |        | NA     |                      | 6.00                | 4.00  | 0.50   | 0.05   |
| 590155 | 12V Battery Extension Cord with accessory outlet (12ft) | 1        | NA        | 628604002826 |                     |       |        |        | NA                   |                     |       |        |        |
| 590275 | Bottle MiST X-Treme Sanitizing Solution                 | 12       | 32        | 750377119750 |                     |       |        |        |                      |                     |       |        |        |

OEM  
APPROVED



### 550000 AIRLIFT™ KIT

Eliminate airlocks in vehicle cooling systems and refills in seconds. OEM approved worldwide!

- Refills the entire cooling system including the heater core!
- Eliminates time consuming bleeding and purging
- Checks for leaks while under vacuum
- Works on: cars, trucks, off road vehicles
- Suitable for battery cooling systems in electric and hybrid vehicles

Replacement Parts and Accessories on pages 38-39



### 550500 AIRLIFT™ II

An inexpensive solution to today's complex problem of airlocks in vehicle cooling systems.

- Refills entire cooling system in seconds, including the heater core!
- Eliminates time consuming bleeding and purging
- Checks for leaks while under vacuum
- Push button valve eliminates the need to change hoses
- Works on all cooling systems with "Fits-All" cone adapter

Replacement Parts and Accessories on pages 38-39

OEM  
APPROVED



### 550500HD AIRLIFT™ II HD

- Built to remove airlocks in the HD cooling system.
- Eliminates the time consuming process of refilling and bleeding cooling systems by creating a vacuum that refills the entire system in seconds, including the heater core, EGR coolers, intercoolers, and aftercoolers
- Equipped with a 90 degree angled gauge to accommodate tight fit applications and also checks for leaks while under vacuum
- Includes a cone adapter to fit most systems with an extra-long 8' hose for hard-to-reach areas
- OEM Approved by International Truck

Replacement Parts and Accessories on pages 38-39





### **560000 COMBUSTION LEAK TESTER**

- Dual-chamber design for higher accuracy to eliminate false readings
- First chamber filters out alkaline particles that could result in a false indication of a combustion leak
- Test results in the second chamber provide a true indication of a combustion leak
- Works on gasoline, diesel and natural gas engines



### **560500 COMBUSTION LEAK TESTER FLUID**

- For Combustion Leak Tester #560000 (uses +/- 2 oz of fluid per service)
- Positive proof a leak is present:

*If tester fluid changes from blue to yellow in gasoline or natural gas engines*

*If tester fluid changes from blue to green in diesel engines*



## **A PROVEN ENGINE TOOL THAT REMOVES AND REFILLS COOLANT SYSTEMS AND PERFORMS A BUILT-IN LEAK TEST IN LESS TIME THAN TODAY'S CONVENTIONAL METHODS.**

- **Connects easily to all engine cooling systems.** Simply connect to radiator opening or reservoir tank. No need to cut heater hoses or disconnect upper radiator hoses
- **Test for leaks.** Confirms system integrity, reduces chance of refilling a leaky system
- **Eliminates potential airlock problems.** Refill cooling system using "Patented" vacuum technology. (Refills like OEM's) Eliminates the need for burping and warm up
- **Refills in seconds.** Quickly refill from used or new coolant reservoir. Accurately pre-mix a 50/50 mixture of coolant in three gallon holding reservoir
- Safely store used coolant in large, 12 gallon holding reservoir
- No electrical or moving parts
- Operates completely on shop air
- Easy to operate
- Ideal for use with coolant flush chemicals

### **VACUFILL™**

- Connects easily to all engine cooling systems
- Available with auxiliary pump for emptying the waste coolant reservoir
- Tests for leaks while under vacuum
- Refills the entire system in seconds while eliminating airlocks
- Large three gallon new-coolant fill tank
- Large 12 gallon waste-coolant reservoir

**570000** VacuFill™

**570000X** VacuFill™ with Waste Pump

Replacement Parts and Accessories on pages 38-39








**WASTE PUMP**

## UV LEAK DETECTION

|                 |   |   |
|-----------------|---|---|
| <b>98006433</b> | UV Phazer NEO lamp                                    |   |
| <b>98027045</b> | 3.7V Lithium Ion battery                              |   |
| <b>98027303</b> | Lithium Ion charger 3.7V with port (110V)             |   |
| <b>98027304</b> | Lithium Ion charger 3.7V with port (220V-EU)          |   |
| <b>98006475</b> | UV Phazer BLACK lamp (AAA)                            |   |
| <b>98006465</b> | UV Phazer BLACK lamp (Rechargeable)                   |   |
| <b>98027240</b> | MicroLED-Lite battery charger (120V)                  |    |
| <b>461102</b>   | 110V/100 Watt Replacement Bulb Mega-Lite™             |    |
| <b>461201</b>   | 12V/100 Watt Replacement Bulb Mega-Lite™              |    |
| <b>461107</b>   | Replacement Lens Mega-Lite™                           |  |
| <b>98007540</b> | Rubber Retaining Lens Ring Mega-Lite™                 |  |
| <b>98007560</b> | Rubber Retaining Lens Ring Micro-Lite™                |  |
| <b>461105</b>   | 12V/50 Watt Replacement Bulb Micro-Lite™, Econo-Lite™ |  |

## COOLING SYSTEM TOOLS (AIRLIFT, AIRLIFT II)


|                 |                                   |   |
|-----------------|-----------------------------------|---|
| <b>550510</b>   | Venturi Assembly (Airlift™)       |  |
| <b>550530</b>   | Fill Hose Assembly (Airlift™)     |  |
| <b>550535</b>   | (4) Rubber Stoppers (Airlift™)    |  |
| <b>550537</b>   | Universal Cone Adapter (Airlift™) |  |
| <b>98037000</b> | Vacuum Gauge (Airlift™)           |  |

|                 |  |   |
|-----------------|--|---|
| <b>98037025</b> | Vacuum Gauge (1.5") (Airlift™ II)        |    |
| <b>98037030</b> | Ball Valve (Airlift™)                    |    |
| <b>98037060</b> | Quick Connector/Coupler (Airlift™)       |    |
| <b>98037070</b> | Coupler Seal (Airlift™)                  |    |
| <b>98038015</b> | Fill Hose Assembly (Airlift™ II)         |    |
| <b>98037090</b> | Airlift Quick Connect Coupler male       |   |
| <b>98037390</b> | Airlift II Rubber Cone adapter plus HD   |    |
| <b>98037321</b> | Squeeze Bulb                             |    |
| <b>98037328</b> | Tester                                   |    |
| <b>570150</b>   | Rad Neck adapter                         |    |
| <b>98037360</b> | Rad Neck Rubber Stopper                  |   |
| <b>98063000</b> | Fill Tank Cover (30"/ 76.2cm)            |  |
| <b>98063100</b> | Extraction Hose Assembly                 |  |
| <b>98063150</b> | Fill Tank Filter                         |  |
| <b>98063300</b> | 8" Fill Tank Tube                        |  |
| <b>98063450</b> | O-ring - Fill Tank 7.841" OD X 0.177" th |  |
| <b>98063451</b> | O-ring - Fill Tank 7.880" OD X 0.197" th |   |
| <b>98064600</b> | Drain Valve                              |  |
| <b>98064750</b> | Base Plate                               |  |
| <b>98064950</b> | 4" Wheel Assembly (each)                 |  |
| <b>98066850</b> | Vacuum Gauge 2.5"                        |  |
| <b>98071200</b> | Ring Stopper (each)                      |  |

## VACUFILL COOLANT EXCHANGER

**98067750** Extension Tube Assembly 


**98063310** O-Ring Repair Kit 

**98063320** Fill Tank and O-Rings 


## UV LEAK DETECTION AND A/C DYE KITS (Spotgun, Spotgun Jr. & ECO-Twist)


**471535** R-134a Hose/Coupler: Twister & Spotgun™ Systems 


**471536** High Side Adapter: R-134a 

**471546** Spotgun™ Jr. R-134a Hose/Coupler 


**982564** Service Stickers: Strip of 32 


**471111** Spotgun™ Injection Gun Kit 

**471539** Spotgun™ Injection Gun 


**98000010** Spotgun™ Jr. Injection Gun 


**98007111** Spotgun™ Hanger Bracket 

**471540** 1234yf Spotgun Hose Assembly 


**471547** 1234yf Spotgun Jr. Hose Assembly 

## LEAK GUARD


**98010385** R-12 Application Hose for the A/C Stop Leak (0.25" FFL) 


**98037169** A/C Charge Hose - Low side R-134a 

## MIST™ UNIT

**98002351** MiST piezo repair kit (serial numbers prior to 11000) 

**98002340** Fan with Waterproof Connector 

**98002350** MiST fan repair kit (serial numbers prior to 11000) 

**99090575** MiST™ POS Consumer Cards 

**590155** MiST™ Battery Extension Cord 